

From: [Don Edgington](#)
To: [Moore, Gary](#)
Cc: [Evan Wortman](#); [Delgado, Paige](#)
Subject: RE: FJ Doyle Building
Date: Thursday, October 11, 2018 3:46:14 PM

Thank you, Gary.

From: Moore, Gary <Moore.Gary@epa.gov>
Sent: Thursday, October 11, 2018 9:06 AM
To: Don Edgington <d.edgington@erllc.com>
Cc: Evan Wortman <e.wortman@erllc.com>; Delgado, Paige <Delgado.Paige@epa.gov>
Subject: FW: FJ Doyle Building

All:

The following is from the asbestos inspector that did the inspection.

From: Lee Ellmaker [<mailto:lee.ellmaker@mecx.net>]
Sent: Thursday, October 11, 2018 8:13 AM
To: Moore, Gary <Moore.Gary@epa.gov>
Cc: Sean Gavlas <Sean.Gavlas@WestonSolutions.com>
Subject: Re: FJ Doyle Building

Hi Gary,

Because the asbestos present is category 1 non-friable roofing you can use standard contractor and can dispose of as general waste. During roof removal I would follow general safe practices for dust suppression and worker safety. I would also let the contractor and landfill know there is some non-regulated asbestos roofing sealant present. We can have a call if you would like to go over in more detail.

lee ellmaker, p.e. | engineer | mecx
mobile [775.771.8419](tel:775.771.8419)
fax [713.585.7049](tel:713.585.7049)
office [713.585.7000](tel:713.585.7000) x 7009
[8864 interchange drive](#)
[houston, texas 77054](#)
lee.ellmaker@mecx.net

On Oct 10, 2018, at 9:09 PM, Moore, Gary <Moore.Gary@epa.gov> wrote:

Hey Lee,

Based upon your report, do we need an asbestos certified contractor to remove the metal roof from the building?

Also, will the roof need to be disposed as asbestos debris?

How should this happen?

Thanks

Gary Moore

2147891627

Sent from my iPhone

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.